



This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
1		INSTALLED NEW FORMAT.	4/29/2008	WP	DW
1A		CH'D TITLEBLOCK & REVISION BLOCK, ADDED ENGRAVE NOTE P/N -1, CORRECTED CENTERLINE AND CENTER MARKS.	8/10/2009	RJC	-
2	15-0369	UPDATED TO NEW DRAFTING STANDARDS. SEPARATED -6F & -7F DRAWINGS. CH'D TOLERANCES ON NON-CRITICAL DIMENSIONS.	12/28/2015	DPD	JAG




NOTE:
FITS TAIL ROTOR OUTPUT SHAFT NUT SL61N-7F.

DART AEROSPACE	
TITLE T/R OUTPUT SHAFT NUT BARREL WRENCH	
DWG NO. RB0006-809-00759-7F	REV 2
MAT'L UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/8 .XX ± .01 ANGLES ± .5° .X ± .1	DRAWN BY: PERRITT APPROVED <i>D Weil</i> HEAT TREAT FINISH BLACK OXIDE SPEC
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	USED ON MODEL MD
SCALE 1:2	DATE 10/5/2006
SHEET 1 OF 4	

ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
			-1	1	TUBE	CDS		2
			-3	1	SLEEVE	CDS		3
			-5	1	CAP	1018/1020		4

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
				APPROVED






(-1)
TUBE

DART AEROSPACE	
TITLE T/R OUTPUT SHAFT NUT BARREL WRENCH	
DWG NO. RB0006-809-00759-7F-1	REV 2
MAT'L CDS UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/8 .XX ± .01 ANGLES ± 5° .X ± .1	DRAWN BY: PERRITT APPROVED <i>D Weil</i> HEAT TREAT FINISH SEE ASSEMBLY SPEC
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	USED ON MODEL MD
SCALE 1:1	DATE 10/5/2006
SHEET 2 OF 4	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
				APPROVED






(-3)
SLEEVE

DART AEROSPACE	
TITLE T/R OUTPUT SHAFT NUT BARREL WRENCH	
DWG NO. RB0006-809-00759-7F-3	REV 2
MAT'L CDS	DRAWN BY: PERRITT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D Weil</i>
.XXX ± .005	HEAT TREAT
.XX ± .01	FINISH SEE ASSEMBLY
.X ± .1	ANGLES ± 5°
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	SPEC
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	USED ON MODEL MD
SCALE 1:1	DATE 10/5/2006
SHEET 3 OF 4	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
				APPROVED



(-5)
CAP

DART AEROSPACE	
TITLE T/R OUTPUT SHAFT NUT BARREL WRENCH	
DWG NO. RB0006-809-00759-7F-5	REV 2
MAT'L 1018/1020	DRAWN BY: PERRITT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D Weil</i>
.XXX ± .005 FRACTIONS ± 1/8	HEAT TREAT
.XX ± .01 ANGLES ± 5°	FINISH SEE ASSEMBLY
.X ± .1	SPEC
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	MD
SCALE 1:1	DATE 10/5/2006
SHEET 4 OF 4	